

	L #	Search Text	DBs	Time Stamp	Hits
1	L1	380/201.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:38	866
2	L2	380/201.ccls. and "dummy code"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:38	1
3	L3	380/44.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:38	814

	L #	Search Text	DBs	Time Stamp	Hits
4	L4	380/44.ccls. and "dummy code"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:39	2
5	L5	713/167.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:39	330
6	L6	713/167.ccls. and "dummy code"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:39	0

	L #	Search Text	DBs	Time Stamp	Hits
7	L7	713/168.ccls. and "dummy code"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:40	3
8	L8	(encrypted) adj (protective object) near (protect code) near (executable module)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:41	0
9	L9	(encrypted) same (protective object) near (protect code) near (executable module)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:41	6

	L #	Search Text	DBs	Time Stamp	Hits
10	L10	(encrypted or enciphered or encoded) same (protective object) near (protect code) near (executable module)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:42	23
11	L11	(code) adj (writing) near (dummy data or dummy code) near (protect code)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:42	43
12	L12	L10 and L11	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:43	0

	L #	Search Text	DBs	Time Stamp	Hits
13	L13	(protect code) near (random number)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:44	48094
14	L14	L13 and L11	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:44	9
15	L15	L14 and L10	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/12/18 19:45	0

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#) [Preferences](#)

**Web** Results 1 - 10 of about 135 for **encrypted protective object, protect code, executable module, random number "dumm**

**P1182532 Sony european software patent - Information processing ...**  
aid **protective object** includes a procedure for decrypting the **encrypted protect code**  
ontained in said **executable module** when said **protect code** is checked. ...  
auss.ffii.org/PatentView/EP1182532 - 85k - [Cached](#) - [Similar pages](#)

**EP1418581 Sony european software patent - Authoring apparatus ...**  
[0099] When the encrypting process is performed, a **random number** generator ... by the  
DMX file creating **module** 206, the information Sinf 68 is **dummy data**. ...  
gauss.ffii.org/PatentView/EP1418581 - 118k - [Cached](#) - [Similar pages](#)

**Method of software protection using a random code generator ...**  
o understand the **protection code**, such as license verification **module**, it is usually ...  
**andom noise code** is randomized in step 206 and **dummy data** are ...  
www.freepatentsonline.com/6463538.html?highlight=4562305 - 51k -  
[Cached](#) - [Similar pages](#)

**Information processing apparatus, executable module generating ...**  
A storage medium as claimed in claim 21, wherein: in the case that the **protect code**  
contained in said **executable module** is **encrypted**, said **protective object** ...  
www.freepatentsonline.com/20020032868.html - 78k - [Cached](#) - [Similar pages](#)

**PDF Data and Application Security for Distributed Application Hosting ...**  
ile Format: PDF/Adobe Acrobat - [View as HTML](#)  
, and another **random number** ... the given **protection object** in a given way or not. ...  
at the **encrypted** functions remain **executable**. ...  
ria.asu.edu/candan/papers/chapterfinal.pdf - [Similar pages](#)

he LU type 6.2 architecture refers to password **protection** as password substitution. ... the  
**executable object** that results from binding **modules** together. ...  
ublib.boulder.ibm.com/infocenter/series/v5r3/topic/rzaat/rzaatp.htm - 133k -  
[Cached](#) - [Similar pages](#)

**Internet Security Policy - Sample Policy Areas**  
atic Authentication Static authentication only provides **protection** against attacks ... The  
se of hardware-based **random number** generators is required for ...  
www.windowsecurity.com/whitepaper/Internet\_Security\_Policy\_\_Sample\_Policy\_Areas.html  
117k - [Cached](#) - [Similar pages](#)

**3M Globalization - Terminology**  
IN translation: In Cryptographic Support, the conversion of a personal identification  
**umber** (PIN) **encrypted** under an input PIN-**protection** key to ...  
www-306.ibm.com/software/globalization/terminology/op.html - 382k -  
[Cached](#) - [Similar pages](#)

**ByteMyCode: Top Snippets**  
his is a simple function to generate a **random** ID of letters and **numbers** however long  
ou ... While it's not 100% fool proof, it does offer some **protection**. ...  
www.bytemycode.com/snippets/top/rss/ - 185k - [Cached](#) - [Similar pages](#)

**PDF Contents**  
ile Format: PDF/Adobe Acrobat - [View as HTML](#)  
method of encoding a message with a masked **random number**, then ... verification of  
**bject code**, whose integrity is itself based on a signed hash of the ...

Result Page:    1   [2](#)   [3](#)   [4](#)   [5](#)   [6](#)   [7](#)   [8](#)   [9](#)   [10](#)    **[Next](#)**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google